

National Management Measures to Control Nonpoint Source Pollution from Forestry

**Draft
February 2001**

Prepared for

Chris Solloway
Nonpoint Source Control Branch
Office of Water, U.S. Environmental Protection Agency

by

Tetra Tech, Inc.
Fairfax, Virginia

U.S. EPA Contract No. 68-C7-0014
Work Assignment # 2-20

Chapter 1: Introduction	1-1
The Purpose and Scope of This Chapter	1-1
What is Nonpoint Source Pollution	1-3
Efforts to Control Nonpoint Source Pollution	1-4
Coastal Nonpoint Pollution Control Program	1-5
Nonpoint Source Program—Section 319 of the Clean Water Act	1-6
National Estuary Program	1-6
Section 404 of the Clean Water Act	1-6
Total Maximum Daily Load—Clean Water Act Section 303	1-7
Forest Stewardship	1-8
Chapter 2: Overview	2-1
Forested Watershed Hydrology	2-1
Forestry Activities and Forest Hydrology	2-3
Road Construction and Use	2-4
Timber Harvesting	2-6
Site Preparation and Forest Regeneration	2-7
Prescribed Burning	2-7
Forest Chemical Applications	2-8
Forestry Pollutants and Water Quality Effects	2-9
Sediment	2-9
Temperature	2-11
Streamflow	2-12
Organic Debris	2-12
Nutrients	2-13
Physical Barriers	2-14
Forest Chemicals	2-16
Cumulative Effects	2-16
Mechanisms to Control Silvicultural Nonpoint Source Pollution	2-19
Management Measures	2-19
Best Management Practices (BMPs)	2-20
Best Management Practice Systems	2-21
Management Measure Effectiveness	2-22
Examples	2-23
State and Private Forestry Programs	2-24
Education and Training	2-24
Cooperative Forestry Programs	2-25
Sustainable Forestry Initiative	2-31
The Society of American Foresters' Certified Forester® Program	2-31
Effectiveness of Education and Technical Assistance	2-32
Cost Estimates for Forest Practice Implementation	2-33
Chapter 3: Management Measures	3-1
Scope of This Chapter	3-1
3A: Preharvest Planning	3-3
Management Measure Description	3-4
Benefits of Preharvest Planning	3-8
Best Management Practices	3-9
Harvest Planning Practices	3-9
Road System Planning Practices	3-10
Preharvest Notification Practices	3-18
3B: Streamside Management Areas	3-19
Management Measure Description	3-19

Benefits of Streamside Management Areas	3-20
Best Management Practices	3-26
3C: Road Construction/Reconstruction	3-28
Management Measure Description	3-28
General Road Construction Considerations	3-28
Road Surface Shape and Composition	3-32
Slope Stabilization	3-34
Road Construction and Fish Habitat	3-35
Stream Crossings and Fish Passage	3-37
Wetland Road Considerations	3-38
Benefits of Road Construction Practices	3-39
Road Construction and Stream Crossing BMP Costs	3-40
Best Management Practices	3-41
Road Surface Construction Practices	3-41
Road Surface Drainage Practices	3-43
Road Slope Stabilization Practices	3-49
Stream Crossing Practices	3-50
Fish Passage Practices	3-56
3D: Road Management	3-58
Management Measure Description	3-58
Road Reconstruction	3-59
Road Decommissioning	3-60
Benefits of Road Management	3-61
Best Management Practices	3-62
Road Maintenance Practices	3-62
Wet and Winter Road Practices	3-64
Stream Crossing and Drainage Structure Practices	3-65
Road Closure and Decommissioning Practices	3-66
3E: Timber Harvesting	3-70
Management Measure Description	3-70
Benefits of Timber Harvesting Practices	3-74
Best Management Practices	3-75
Harvesting Practices	3-75
Practices for Landings	3-76
Ground Skidding Practices	3-77
Cable Yarding Practices	3-78
Other Yarding Methods	3-79
Winter Harvesting	3-81
Petroleum Management Practices	3-82
3F: Site Preparation and Forest Regeneration	3-84
Management Measure Description	3-84
Mechanical Site Preparation in Wetlands	3-88
Benefits of Site Preparation Practices	3-88
Best Management Practices	3-89
Site Preparation Practices	3-89
Forest Regeneration Practices	3-90
3G: Fire Management	3-91
Management Measure Description	3-91
Cost of Prescribed Burning	3-92
Best Management Practices	3-92
Prescribed Fire Practices	3-92
Prescribed Fire in Wetlands	3-93
Wildfire Practices	3-93

Fireline Practices	3-94
3H: Revegetation of Disturbed Areas	3-96
Management Measure Description	3-96
Benefits and Costs of Revegetation Practices	3-97
Best Management Practices	3-98
3I: Forest Chemical Management	3-102
Management Measure Description	3-102
Cost of Forest Chemical Applications	3-106
Best Management Practices	3-106
3J: Wetlands Forest Management	3-109
Management Measure Description	3-109
Forestry in Wetlands: Section 404	3-110
<i>Code of Federal Regulations</i> , Title 40, section 232.3: "Activities not Requiring Permits	3-111
Best Management Practices	3-112
Wetland Harvesting Practices	3-112
Wetland Road Design and Construction Practices	3-114
Wetland Site Preparation and Regeneration Practices	3-118
Chemical Management Practices	3-120
EPA and Corps of Engineers Memorandum to the Field	3-120
Mechanical Site Preparation Activities and CWA Section 404	3-120
Circumstances in Which Mechanical Site Preparation Activities Require a Section 404 Permit	3-121
Circumstances in Which Mechanical Site Preparation Activities Do Not Require a Section 404 Permit	3-122
Chapter 4: Using Management Measures to Prevent and Solve Nonpoint Source Pollution Problems in Watersheds	4-1
The EPA Watershed Approach	4-2
Cumulative Effects	4-3
Definition	4-3
The Importance of Considering and Analyzing Cumulative Effects	4-4
Problems in Cumulative Effects Analysis	4-5
Approaches to Cumulative Effects Analysis	4-7
Phased Approach to Cumulative Effects Assessment	4-11
Forest Watershed Management: An Example	4-13
1. Inventory Basic Watershed Resources	4-14
2. Apply Best Management Practices	4-14
3. Monitor and Analyze Results	4-14
Chapter 5: Monitoring and Tracking Techniques	5-1
Overview	5-1
Monitoring Program Fundamentals	5-1
Monitoring BMP Implementation	5-3
Monitoring BMP Effectiveness	5-5
Importance of BMP Monitoring	5-6
Quality Assurance and Quality Control	5-6
Definitions of Quality Assurance and Quality Control	5-6
Importance of QA/QC Programs	5-7
EPA Quality Policy	5-7
Review of State Management Practice Monitoring Programs	5-7
Objectives of the Audits	5-7
Criteria Used to Choose the Audit Sites	5-9

Table of Contents

Audit Focus: BMP Implementation and BMP Effectiveness	5-11
Number of Sites Investigated	5-11
Number of BMPs Evaluated	5-12
Composition of the Investigation Teams	5-12
BMP Implementation and Effectiveness Rating Systems	5-13
Results of the Audits	5-15
Best Management Practices Evaluation Program: U.S. Forest Service, Pacific Southwest Region	5-16
How the Evaluations are Done	5-17
Important Points to Note	5-17

References

Glossary

Appendices

- Appendix A: Forestry Resources
- Appendix B: Sources of Technical Assistance
- Appendix C: Forest Management Certification Programs
- Appendix D: Information for Non-Industrial Private Forest (NIPF) Landowners
- Appendix E: Sample BMP Monitoring Data Sheets

List of Tables

Table 1-1.	Waterbody Impairment Attributable to Silviculture	1-2
Table 2-1.	Advantages and Disadvantages of Stream Crossing Structures	2-15
Table 2-2.	Estimations of Overall Cost of Compliance with State Forestry BMP Programs by Program Type	2-33
Table 2-3.	Estimations of the Implementation Costs by Management Measure in the Southeast and Midwest	2-34
Table 2-4.	Estimations of Construction and Implementation Costs for Individual BMPs, by Region	2-37
Table 3-1.	Costs and Benefits of Proper Road Design versus Reconstruction	3-5
Table 3-2.	Clearcutting versus Selective Harvesting Methods	3-6
Table 3-3.	Effect of four Harvesting Methods on Water Quality	3-6
Table 3-4.	Comparison of the Effect of Conventional Logging System and Cable Miniyarder on Soil	3-7
Table 3-5.	Recommended Minimum SMZ Widths	3-22
Table 3-6.	Recommendations for Filter Strip Widths	3-22
Table 3-7.	Comparison of Effects of Two Methods of Harvesting on Water Quality	3-22
Table 3-8.	Average Estimated Logging and Stream Protection Costs per MBF	3-23
Table 3-9.	Cost Estimates for Streamside Management Areas	3-24
Table 3-10.	Cost Impacts of Three Alternative Buffer Strips	3-25
Table 3-11.	Storm Water Suspended Sediment Delivery for Treatments	3-26
Table 3-12.	Average Changes in Total Coarse and Fine Debris of a Stream Channel After Harvesting	3-26
Table 3-13.	Effects of Several Road Construction Treatments on Sediment Yield	3-29
Table 3-14.	Effectiveness of Road Surface Treatments in Controlling Soil Losses	3-33
Table 3-15.	Reduction in the Number of Sediment Deposits more than 20 Feet Long by Grass and Forest Debris	3-35
Table 3-16.	Comparison of Downslope Movement of Sediment from Roads	3-35
Table 3-17.	Effectiveness of Surface Erosion Control on Forest Roads	3-36
Table 3-18.	Cost Estimates for Road Construction	3-40
Table 3-19.	Costs of Gravel and Grass Road Surfaces	3-40
Table 3-20.	Costs of Erosion Control Measures in Idaho	3-41
Table 3-21.	Sediment Loss Reduction from Reinforcement at Road Stream Crossings	3-55
Table 3-22.	Comparison of Road Repair Costs for a 20-Year Period With and Without BMPs	3-61
Table 3-23.	Analysis of Costs and Benefits of Watershed Treatments Associated with Roads	3-61
Table 3-24.	Comparative Costs of Reclamation of Roads and Removal of Stream Crossing Structures	3-62
Table 3-25.	Water Bar Spacing by Soil Type and Slope	3-68
Table 3-26.	Soil Disturbance from Roads for Alternative Methods of Timber Harvesting	3-72
Table 3-27.	Soil Disturbance from Logging by Alternative Harvesting Methods	3-73
Table 3-28.	Relative Impacts of Four Yarding Methods on Soil Disturbance and Compaction in Pacific Northwest Clearcuts	3-73
Table 3-29.	Percent of Land Area Affected by Logging Operations	3-74
Table 3-30.	Skidding/Yarding Method Comparison	3-74
Table 3-31.	Costs Associated with Various Methods of Yarding	3-81
Table 3-32.	Analysis of Two Management Schedules Comparing Cost and Site Productivity	3-88
Table 3-33.	Site Preparation Comparison	3-89
Table 3-34.	Comparison of Costs of Yarding Unmerchantable Material vs. Broadcast Burning	3-89
Table 3-35.	Range of Prescribed Fire Costs	3-92
Table 3-36.	Economic Impact of Implementation of Proposed Management Measures on Road Construction and Maintenance	3-97
Table 3-37.	Cost Estimates for Seed, Fertilizer, and Mulch	3-98
Table 3-38.	Estimated Costs for Revegetation	3-98
Table 3-39.	Peak Concentrations of Forest Chemicals in Soils, Lakes, and Streams After Application	3-103
Table 3-40.	Nitrogen Losses from Two Subwatersheds in the Umpqua Experimental Watershed	3-105
Table 3-41.	Average Costs for Chemical Management	3-106
Table 3-42.	Recommended Harvesting Systems by Forested Wetland Site	3-113

Table of Contents

Table 3-43.	Temporary Wetland Crossing Options	3-115
Table 3-44.	Recommended Regeneration Systems by Forested Wetland Type	3-119

List of Figures

Figure 1-1.	Timberland ownership by region	1-9
Figure 1-2.	U.S. Forest Service and national parks land distribution	1-9
Figure 2-1.	Comparison of forestland cover type and occurrences of mass erosion	2-5
Figure 2-2.	Conceptual model of biogeochemistry, hydrology, and stormflow source area interactions	2-10
Figure 2-3.	Vegetation removal and soil disturbance	2-11
Figure 2-4.	Streamflow and water table effects of forest harvesting	2-13
Figure 2-5.	Improper storage and handling of forest chemicals	2-16
Figure 2-6.	Ratings of the effectiveness of various types of programs	2-27
Figure 2-7.	Distribution of the cost of regulatory programs among different groups	2-35
Figure 3-1.	Topographic maps are helpful during preharvest planning	3-4
Figure 3-2.	Comparison of sediment concentrations in runoff from various forest conditions to drinking water standard	3-9
Figure 3-3.	A streamside management area (SMA) protects streams from sediment loading	3-10
Figure 3-4.	An example of laying out sample road systems for comparison purposes	3-11
Figure 3-5.	Maximum recommended stable angles for backslopes and fillslopes	3-14
Figure 3-6.	Soil loss rate for roadbeds with five surfacing treatments	3-15
Figure 3-7.	Alternative water crossing structures	3-17
Figure 3-8.	Culvert conditions that block fish passage	3-17
Figure 3-9.	Multiple culverts for fish passage in streams	3-17
Figure 3-10.	Streamside management area pollutant removal processes	3-20
Figure 3-11.	Streamside management area width depends on slope and other factors	3-21
Figure 3-12.	Calculation of slope is an important step in determining SMA width	3-21
Figure 3-13.	Mitigation techniques used for controlling erosion and sediment to protect water quality and fish habitat	3-31
Figure 3-14.	Illustration of road structure terms	3-32
Figure 3-15.	Types of road surface shape	3-32
Figure 3-16.	Comparison of sedimentation rates from different forest road surfaces	3-33
Figure 3-17.	Percent reduction in sediment runoff from a forest road surface with different treatments	3-34
Figure 3-18.	Sediment yield from plots using various forms of ground covering	3-36
Figure 3-19.	Broad-based dip installation	3-44
Figure 3-20.	Typical road profiles for drainage and stability	3-45
Figure 3-21.	Effects of different ditch gradients on insloped roads	3-45
Figure 3-22.	Design and installation of relief culvert	3-46
Figure 3-23.	Details of installation of open-top and pole culverts	3-46
Figure 3-24.	Grading and spacing of road turnouts	3-47
Figure 3-25.	Sediment trap constructed to collect runoff from ditch along cutslope	3-48
Figure 3-26.	Brush barrier placed at toe of fill to intercept runoff and sediment	3-48
Figure 3-27.	Silt fence installation	3-49
Figure 3-28.	Protective filter strip maintained between road and stream to trap sediment	3-49
Figure 3-29.	Details of haybale installation	3-50
Figure 3-30.	Stream crossing installation and road drainage diversion	3-51
Figure 3-31.	Portable bridge for temporary stream crossing	3-52
Figure 3-32.	A stream ford	3-53
Figure 3-33.	Design and installation of pipe culvert at stream crossing	3-54
Figure 3-34.	Proper installation of culvert is critical to preventing plugging or undercutting	3-54
Figure 3-35.	Procedure for installing culvert when excavation in channel section of stream will cause sediment movement	3-55
Figure 3-36.	Details of ice bridge construction for temporary stream crossing in winter	3-56
Figure 3-37.	Unmaintained and unused roads can develop severe erosion problems	3-59
Figure 3-38.	Road-related storm damage by type in the Detroit Ranger District	3-63
Figure 3-39.	Install visible traffic barriers where appropriate to prevent off-road vehicle and other undesired disturbance to recently stabilized roads	3-66
Figure 3-40.	Trails should be constructed using the same drainage structures as closed forest roads	3-67
Figure 3-41.	Broad-based dips reduce the potential for erosion	3-67
Figure 3-42.	General large woody debris stability guide	3-76

Table of Contents

Figure 3-43.	Hypothetical skid trail pattern for uphill and downhill logging	3-79
Figure 3-44.	Typical cable yarding operation	3-80
Figure 3-45.	Common pattern of shovel logging operations	3-80
Figure 3-46.	Balloon harvesting practices on a steep slope	3-82
Figure 3-47.	Deposited, suspended, and total sediment losses in experimental watersheds	3-85
Figure 3-48.	Comparison of sediment yields on three sites prepared with different techniques	3-85
Figure 3-49.	Predicted erosion rates using various site preparation techniques	3-86
Figure 3-50.	Erosion rates for site preparation practices in selected land resource areas	3-86
Figure 3-51.	Sediment loss in stormflow by site treatment	3-87
Figure 3-52.	Nutrient loss in stormflow by site treatment	3-87
Figure 3-53.	Relation of soil loss to ground cover	3-96
Figure 3-54.	Comparison of effectiveness of seed, fertilizer, mulch, and netting in controlling cumulative erosion from treated plots on a steep road fill in Idaho	3-97
Figure 3-55.	Soil losses from a 35-foot long slope	3-99
Figure 3-56.	Aerial applications of forest chemicals	3-106
Figure 3-57.	Heavy machinery operated on wet soils changes soil structure	3-109
Figure 3-58.	Comparison of impervious and pervious roadfill sections	3-117
Figure 3-59.	Elements of a road crossing through a swamp wetland, cross section	3-118
Figure 4-1.	MacDonald's conceptual process for assessing cumulative effects	4-12